

Technical Data Sheet

Issued 2016-02

PFH-T Film

PFH-T Film is a green sensitive single-side emulsion coated on a blue, approximately 0.1 mm (4-mil) polyester support with a pink anti-halation layer. The film is used to photograph images of green fluorescent screens or other output phosphors (photofluorography). It is a fast speed, low contrast film.

PFH-T Film features T-GRAIN emulsion technology resulting in improved sharpness and resolution. The film can be processed in standard automatic processor cycles, or their equivalents, using standard processing chemicals such as RP X-OMAT chemicals.



Automatic Processing Recommendations:

In general, processing is recommended in X-OMAT and RP X-OMAT Processors using RP X-OMAT Developer and Replenisher and RP X-OMAT LO Fixer and Replenisher. Roll film processing is not recommended in the M35M, M35A-M X-OMAT Processors and the MIN-R Mammography Processor.

To provide proper transport through all automated processors, use a leader of sheet film wider than the roll and at least 18 cm long. Use 25.4 mm (1-inch) wide tape to splice the roll to the leader. Make sure the adhesive side of the tape is not exposed.

Replenishment Rate Recommendations for X-OMAT or RP X-OMAT Processors (Replenishment by length)

Film Size Use Processed Condition	Average Number of Films per 8 hours processor operation	Replenishment Rates (ml per 35 x 43 cm)	
0011011011		Developer	Fixer
High	32 metres (105 linear feet) or more	50	70
Medium	10.7–32 metres (35–105 linear feet)	65	85
Low	10.7 meters (35 linear feet) or less *	80	100
High	115 sheets or more	50	70
Medium	40 – 115 sheets	65	85
Low	40 sheets or less*	80	100
	Condition High Medium Low High Medium Low	Conditionprocessor operationHigh32 metres (105 linear feet) or moreMedium10.7–32 metres (35–105 linear feet)Low10.7 meters (35 linear feet) or less *High115 sheets or moreMedium40 – 115 sheetsLow40 sheets or less*	Conditionprocessor operationDeveloperHigh32 metres (105 linear feet) or more50Medium10.7–32 metres (35–105 linear feet)65Low10.7 meters (35 linear feet) or less *80High115 sheets or more50Medium40 – 115 sheets65

Please refer to Service Bulletin No. 30, available on the Carestream website or upon request, for additional processing recommendations.

Recommended Starter Volumes

Developer	Starter (Added to processor developer tank)
RP	89 ml (3 fl. Oz.) per 3.78 Litres (1 gallon)

Influence of developer temperature in case of automatic processing

-2 °C	Ref	+2 °C
0	Base fog	0.02
-15 %	Sensitivity	+10 %
-2 %	Contrast	+6 %

Note: Manual processing of PFH-T Film is not recommended.

Storage and Handling

Storage Unexposed: Image Image

The film should be used before the expiration date indicated on the box with the lot number LOT.

Handling -

Hands must be clean, dry and free of lotions, etc. Film should be handled carefully by the edges to avoid physical strains such as pressure, creasing, or buckling. Luminous watches, cell phone and darkroom light leaks should be avoided.





2



Use a Ruby Red Safelight Filter, such as GBX-2, with a frosted 15watt bulb or a LED Safelight located at least 1.22 metres (48 inches) from the film.

Latensification: Safelight exposure after primary x-ray exposure.

Hypersensitization: Safelight exposure prior to primary x-ray exposure.

1.0 Latensification 0.9 Hypersensitization 0.8 0.7 Fog Density 0.6 0.5 0.4 0.3 0.2 0.1 0.0 0 2 4 6 8 10 12 14 16 18 Safelight Exposure (minutes)

PFH-T Film GBX-2 Safelight Filter, 15-watt bulb / 1.22 metres (48 inches) X-OMAT 5000 RA Processor, RP X-OMAT Chemicals, 35 °C (95 °F)

The contents of this publication are subject to change without notice.

CE 0086 EC REP Carestream Health France 1, rue Galilée 93192 NOISY-LE-GRAND CEDEX FRANCE

© Carestream Health, Inc., 2016. CARESTREAM and X-OMAT are trademarks of Carestream Health.

Carestream Health, Inc. – 150 Verona Street – Rochester, NY, USA 14608 ©Carestream Health, Inc. 2016, Publication No. CHSP-8607, rev. 3