



Carestream Health Inc.
1049 Ridge Road West
Rochester, NY 14615

February 2, 2018

TO USERS OF INDUSTREX PRODUCTS:

SUBJECT: CERTIFICATE OF CONFORMANCE OF INDUSTREX FILM EMULSIONS FOR USE BY PRATT & WHITNEY VENDORS

Listed below are the INDUSTREX film emulsions manufactured prior to December 15, 2017. All INDUSTREX film emulsions: DR50, M100, MX125, T200, AA400 meet or exceed the Pratt & Whitney Film Certification Requirements.

Pratt & Whitney Approved Film Emulsions:

| | |
|--------------|--|
| DR50 | 039 063 084 093 103 113 123 901 911 023 025 027 105 113 125 127 133 135 137 201 203 204 205 207 208 209 211 221 222 223 224 225 226 227 228 229 231 232 233 234 235 236 |
| M100 | 065 067 073 075 077 083 085 099 101 102 103 104 105 106 108 109 111 112 113 114 115 116 117 118 119 121 122 124 125 126 127 128 129 131 132 133 134 135 136 137 138 139 141 142 143 144 145 146 147 148 149 151 152 153 155 156 157 158 159 171 172 173 174 175 176 177 178 179 181 182 183 184 185 186 187 188 189 191 192 193 194 195 196 197 198 199 201 202 203 204 205 206 207 208 209 211 212 213 214 215 216 217 218 219 221 223 224 225 226 227 228 229 231 232 233 |
| MX125 | 305 306 307 308 309 311 312 313 314 315 316 317 318 319 321 322 323 324 325 326 327 328 329 331 341 343 344 345 346 347 348 349 351 352 353 354 355 356 357 358 359 361 362 363 364 366 367 368 369 371 372 373 374 375 376 377 378 379 381 382 383 384 385 386 387 388 389 391 392 393 394 395 396 397 398 399 401 402 403 404 405 406 407 409 411 412 413 414 415 416 417 418 419 421 422 423 424 425 426 427 428 429 431 432 433 434 435 436 437 438 439 441 442 443 444 445 446 447 448 449 451 452 453 455 456 457 458 461 462 464 465 466 467 468 469 471 472 473 474 475 476 477 478 479 481 482 483 484 485 486 487 488 489 491 492 493 494 495 496 497 498 499 501 502 503 504 505 |
| T200 | 261 262 263 264 265 266 267 268 281 283 284 285 286 287 288 289 291 292 293 294 295 296 297 298 299 301 302 303 304 305 306 307 308 309 311 312 313 314 315 316 317 318 319 321 322 323 324 325 326 327 328 329 331 332 333 334 335 336 337 338 341 342 343 345 346 347 348 349 351 352 353 354 355 356 357 358 359 361 362 363 364 365 366 367 368 369 371 372 373 374 375 376 377 378 379 381 206 382 383 207 385 391 392 393 394 395 396 397 398 399 401 403 431 432 433 434 435 436 437 438 439 |
| AA400 | 566 567 568 569 571 572 573 574 575 576 577 578 579 581 582 583 584 585 586 587 588 589 591 592 593 594 595 596 597 598 599 601 602 603 604 605 606 607 608 609 611 612 613 614 615 616 617 618 619 621 622 623 624 625 626 627 628 629 631 632 633 634 635 636 637 638 639 641 642 643 644 645 646 647 648 649 651 652 653 654 655 656 657 658 659 661 662 663 664 665 666 667 668 669 671 672 673 674 675 676 677 678 679 681 682 683 684 686 687 688 689 691 692 693 695 696 697 698 699 701 702 703 704 705 706 709 713 714 715 716 717 718 719 722 723 725 726 727 728 729 731 732 733 734 735 736 737 739 741 742 743 744 745 746 747 748 749 751 752 753 754 755 756 757 758 759 761 762 763 764 765 766 767 769 771 773 774 775 776 777 778 779 781 782 783 784 785 786 787 788 789 792 793 794 795 796 798 801 802 803 804 805 806 807 808 809 811 812 813 814 815 816 817 818 819 821 822 823 824 825 826 827 828 829 831 832 833 834 835 836 837 838 839 841 842 843 844 845 846 847 848 851 852 853 854 855 856 857 858 859 861 862 863 864 865 866 867 |

Sincerely,

Joseph M. Murphy, Product Manager