



Carestream Health Inc.
1049 Ridge Road West
Rochester, NY 14615

June 17, 2022

TO USERS OF INDUSTREX PRODUCTS:

SUBJECT: CERTIFICATE OF CONFORMANCE OF INDUSTREX FILM EMULSIONS FOR USE BY PRATT & WHITNEY VENDORS

Listed below are the INDUSTREX film emulsions manufactured prior to June 2, 2022. All INDUSTREX film emulsions: DR50, M100, MX125, T200, AA400 meet or exceed the Pratt & Whitney Film Certification Requirements.

Pratt & Whitney Approved Film Emulsions:

DR50	207 208 209 211 221 222 223 224 225 226 227 228 229 231 232 233 234 235 236 238 239 241 242 243 244 245 247 248 249 251
M100	118 119 121 122 124 125 126 127 128 129 131 132 133 134 135 136 137 138 139 141 142 143 144 145 146 147 148 149 151 152 153 155 156 157 158 159 171 172 173 174 175 176 177 178 179 181 182 183 184 185 186 187 188 189 191 192 193 194 195 196 197 198 199 201 202 203 204 205 206 207 208 209 211 212 213 214 215 216 217 218 219 221 223 224 225 226 227 228 229 231 232 233 234 235 236 237 238 239 241 242 243 244 245 246 247 248 249 251 252 253 254 255 256 257
MX125	367 368 369 371 372 373 374 375 376 377 378 379 381 382 383 384 385 386 387 388 389 391 392 393 394 395 396 397 398 399 401 402 403 404 405 406 407 409 411 412 413 414 415 416 417 418 419 421 422 423 424 425 426 427 428 429 431 432 433 434 435 436 437 438 439 441 442 443 444 445 446 447 448 449 451 452 453 455 456 457 458 461 462 464 465 466 467 468 469 471 472 473 474 475 476 477 478 479 481 482 483 484 485 486 487 488 489 491 492 493 494 495 496 497 498 499 501 502 503 504 505 506 507 508 509 511 512 513 514 515 516 517 518 519 521 522 523 524 525 526 528 529 531 532 533 534 535 536 537 538 539 541 543 544 545 546 547 548 549 551 552 553 554 555 556 557 558 559 561 562 563 564 565 566 567 568 569 571 572 573 574 575 576 577 578 579 581 582 583 584 585 586 587 588 589 591 592 593 594 595 596 597 598 599 601 602 603 604 605 606 607 608
T200	298 299 301 302 303 304 305 306 307 308 309 311 312 313 314 315 316 317 318 319 321 322 323 324 325 326 327 328 329 331 332 333 334 335 336 337 338 341 342 343 345 346 347 348 349 351 352 353 354 355 356 357 358 359 361 362 363 364 365 366 367 368 369 371 372 373 374 375 376 377 378 379 381 206 382 383 207 385 391 392 393 394 395 396 397 398 399 401 403 404 405 406 407 409 411 412 414 415 416 417 418 419 421 422 423 431 432 433 434 435 436 437 438 439 441 442 443 444 445 446 447 448 449 451 452 453 454 455 456 457 458 459 461 462 463 464 465 466 467 468 469 471 472 473 474 475
AA400	668 669 671 672 673 674 675 676 677 678 679 681 682 683 684 686 687 688 689 691 692 693 695 696 697 698 699 701 702 703 704 705 706 709 713 714 715 716 717 718 719 722 723 725 726 727 728 729 731 732 733 734 735 736 737 739 741 742 743 744 745 746 747 748 749 751 752 753 754 755 756 757 758 759 761 762 763 764 765 766 767 769 771 773 774 775 776 777 778 779 781 782 783 784 785 786 787 788 789 792 793 794 795 796 798 801 802 803 804 805 806 807 808 809 811 812 813 814 815 816 817 818 819 821 822 823 824 825 826 827 828 829 831 832 833 834 835 836 837 838 839 841 842 843 844 845 846 847 848 851 852 853 854 855 856 857 858 859 861 862 863 864 865 866 867 868 869 871 872 873 874 875 877 878 879 881 882 883 884 885 886 887 888 889 891 892 893 894 895 896 897 898 901 902 903 904 905 906 907 908 909 911 912 913 914 915 916 917 918 919 921 922 923 924 925 926 927 928 929 931 932 933 934 935 936 937 938 939 941 942 943 944 945 946 947 948 949 951 952 953 954 955 956 957 958 959 961 963 964 965 966 967 969 971 972 973 974 975

Sincerely,

Joseph M. Murphy, Product Line Manager